

MATTONI
THE CLADDING BRICKS



COMPANY PROFILE

A commitment to
EXCELLENCE

Our quality is our
Identity




**PLAIN RED
001**

Brief Description

200 x 60 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 50 Pcs



**PLAIN GREY
002**

Brief Description

200 x 60 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 50 Pcs



PLAIN WHITE 003

Brief Description

200 x 60 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 50 Pcs




PLAIN BURNT RED 004

Brief Description

200 x 60 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 50 Pcs



PLAIN BURNT WHITE 005

Brief Description

200 x 60 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 50 Pcs



DIFFERENT COMBINATION

Brief Description

200 x 60 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 50 Pcs




RUSTIC RED 101

Brief Description

210 x 63 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 48 Pcs




RUSTIC GREY 102

Brief Description

210 x 63 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 48 Pcs





MATTONI
THE CLADDING BRICKS

RUSTIC WHITE 103

Brief Description

210 x 63 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 48 Pcs





RUSTIC BURNT RED 104

Brief Description

210 x 63 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 48 Pcs



RUSTIC BURNT WHITE 105

Brief Description

210 x 63 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 48 Pcs



DIFFERENT COMBINATION


Brief Description

210 x 63 x 14 (mm) Sq.ft/Box 7.00
(+/- 3 mm Tolerance)

Packing / Box 48 Pcs




TECHNICAL SPECIFICATION



Compressive Strength:
20.44 N/mm² | 208.40 Kg/cm²




Water Absorption:
Below 10%



Density:
1795 (Kg/m³)



Efflorescence Test:
Nil



THANKS



MATTONI
THE CLADDING BRICKS

+91 982 016 8800

mattonibricks22@gmail.com

Follow us on



Scan to Visit Instagram Page